

Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((amplifier and (biasing or bias) and offset and integrated) <in>m</in>	etadata)"
Your search matched 61 of 1171917 documents	

∭le-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.				
View Ses	sion History			
New Search			y Search	
		((ampl	ifier and (biasing or bias) and offset and integrated) <in>metadata)</in>	
» Key IEEE JNL IEEE Journal or Magazine		□с	neck to search only within this results set	
		Display Format:		
IEE JNL	IEE Journal or Magazine			
IEEE CNF	IEEE Conference Proceeding	Select	Article Information View: 1-	
IEE CNF	IEE Conference Proceeding		1. A low-noise low-offset capacitive sensing amplifier for a 50-/spl mu/g//spl radic/H CMOS MEMS accelerometer	
IEEE STD	IEEE Standard		Jiangfeng Wu; Fedder, G.K.; Carley, L.R.; Solid-State Circuits, IEEE Journal of Volume 39, Issue 5, May 2004 Page(s):722 - 730	
			AbstractPlus References Full Text: PDF(696 KB) IEEE JNL	
			 Linearized high efficiency HBT MMIC dual band power amplifier module for L-bar Noh, Y.S.; Park, C.S.; Microwave Conference, 2001. APMC 2001. 2001 Asia-Pacific Volume 3, 3-6 Dec. 2001 Page(s):1295 - 1298 vol.3 	
			AbstractPlus Full Text: PDF(287 KB) IEEE CNF	
			3. Micro-power low-offset instrumentation amplifier IC design for biomedical syster Chih-Jen Yen; Wen-Yaw Chung; Mely Chen Chi; Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circuits and S Fundamental Theory and Applications, IEEE Transactions on] Volume 51, Issue 4, April 2004 Page(s):691 - 699	
			AbstractPlus References Full Text: PDF(448 KB) IEEE JNL	
			4. Noise optimization of BiCMOS operational amplifiers Aho, J.; Halonen, K.; Circuits and Systems, 1990., IEEE International Symposium on 1-3 May 1990 Page(s):3201 - 3204 vol.4	
			AbstractPlus Full Text: PDF(388 KB) IEEE CNF	
			 A high-performance autozeroed CMOS opamp with 50 μV offset Krummenacher, F.; Vafadar, R.; Ganesan, A.; Valence, V.; Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC., 1997 International 6-8 Feb. 1997 Page(s):350 - 351, 483 	
			AbstractPlus Full Text: PDF(468 KB) IEEE CNF	
			6. An offset compensation technique for latch type sense amplifiers in high-speed I SRAMs Singh, R.; Bhat, N.; Very Large Scale Integration (VLSI) Systems, IEEE Transactions on	

Volume 12, Issue 6, June 2004 Page(s):652 - 657 AbstractPlus | References | Full Text: PDF(232 KB) | IEEE JNL 7. Temperature stability of a CMOS operational amplifier П Girgis, A.; Rizkalla, M.E.; Holdmann, M.M.; Circuits and Systems, 1990., Proceedings of the 33rd Midwest Symposium on 12-14 Aug. 1990 Page(s):689 - 691 vol.2 AbstractPlus | Full Text: PDF(188 KB) IEEE CNF 8. An offset-compensated wide-bandwidth CMOS current-feedback operational am Djebbi, M.; Assi, A.; Sawan, M.; Electrical and Computer Engineering, 2003. IEEE CCECE 2003. Canadian Conference Volume 1, 4-7 May 2003 Page(s):73 - 76 vol.1 AbstractPlus | Full Text: PDF(352 KB) IEEE CNF 9. Microelectronic system for Hall sensor power measurements De Venuto, D.; Blagojevic, M.; Kayal, M.; Electronic Design, Test and Applications, 2004. DELTA 2004. Second IEEE Internation 28-30 Jan. 2004 Page(s):355 - 359 AbstractPlus | Full Text: PDF(656 KB) IEEE CNF 10. An automatic offset compensation scheme with ping-pong control for CMOS ope П amplifiers Chong-Gun Yu; Geiger, R.L.; Solid-State Circuits, IEEE Journal of Volume 29, Issue 5, May 1994 Page(s):601 - 610 AbstractPlus | Full Text: PDF(948 KB) IEEE JNL 11. An offset compensated CMOS current-feedback operational-amplifier Zhu, J.; Sawan, M.; Arabi, K.; Circuits and Systems, 1995. ISCAS '95., 1995 IEEE International Symposium on Volume 3, 28 April-3 May 1995 Page(s):1552 - 1555 vol.3 AbstractPlus | Full Text: PDF(308 KB) IEEE CNF 12. Op amp combining precision, high speed, and high output current drive for ±5-V operation Ngo, T.; Hester, R.; Solid-State Circuits, IEEE Journal of Volume 25, Issue 3, Jun 1990 Page(s):856 - 862 AbstractPlus | Full Text: PDF(524 KB) IEEE JNL 13. Design of high performance two stage CMOS cascode op-amps with stable biasi Mandal, P.; Visvanathan, V.; VLSI Design, 1996. Proceedings., Ninth International Conference on 3-6 Jan. 1996 Page(s):234 - 237 AbstractPlus | Full Text: PDF(324 KB) IEEE CNF 14. A 1.8 V pseudo-differential switched-capacitor amplifier Gunay, Z.S.; Soenen, E.G.; Embabi, S.; Sanchez-Sinencio, E.; Custom Integrated Circuits Conference, 1998., Proceedings of the IEEE 1998 11-14 May 1998 Page(s):373 - 376 AbstractPlus | Full Text: PDF(324 KB) | IEEE CNF 15. Linearization of CMOS LNA's via optimum gate biasing Aparin, V.; Brown, G.; Larson, L.E.; Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Sympos Volume 4, 23-26 May 2004 Page(s):IV - 748-51 Vol.4

AbstractPlus | Full Text: PDF(319 KB) IEEE CNF 16. 42% high-efficiency two-stage HBT power-amplifier MMIC for W-CDMA cellular pl Iwai, T.; Kebayashi, K.; Nakasha, Y.; Miyashita, T.; Ohara, S.; Joshin, K.; Microwave Theory and Techniques, IEEE Transactions on Volume 48, Issue 12, Dec. 2000 Page(s):2567 - 2572 AbstractPlus | References | Full Text: PDF(140 KB) | IEEE JNL 17. A 1-Gb/s, 0.7-µm CMOS optical receiver with full rail-to-rail output swing Ingels, M.; Steyaert, M.S.J.; Solid-State Circuits, IEEE Journal of Volume 34, Issue 7, July 1999 Page(s):971 - 977 AbstractPlus | References | Full Text: PDF(276 KB) | IEEE JNL 18. Statistical techniques for the computer-aided optimization of analog integrated c Michael, C.; Hua Su; Ismail, M.; Kankunnen, A.; Valtonen, M.; Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [: and Systems I: Regular Papers, IEEE Transactions on] Volume 43, Issue 5, May 1996 Page(s):410 AbstractPlus | References | Full Text: PDF(368 KB) IEEE JNL 19. Practical charge-transfer amplifier design architectures for low-power flash A/D (Marble, W.J.; Kotani, K.; Petrie, C.S.; Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circuits and S Fundamental Theory and Applications, IEEE Transactions on] Volume 51, Issue 11, Nov. 2004 Page(s):2157 - 2164 AbstractPlus | References | Full Text: PDF(496 KB) IEEE JNL 20. Yield and speed optimization of a latch-type voltage sense amplifier П Wicht, B.; Nirschl, T.; Schmitt-Landsiedel, D.; Solid-State Circuits, IEEE Journal of Volume 39, Issue 7, July 2004 Page(s):1148 - 1158 AbstractPlus | References | Full Text: PDF(712 KB) IEEE JNL 21. A low-voltage BiMOS op amp Schade, O.H.; Kramer, E.J.; Solid-State Circuits, IEEE Journal of Volume 16, Issue 6, Dec 1981 Page(s):661 - 668 AbstractPlus | Full Text: PDF(1056 KB) IEEE JNL 22. Understanding linearity in wireless communication amplifiers Struble, W.; McGrath, F.; Harrington, K.; Nagle, P.; Rand, S.; Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1996. Technical Digest 199 3-6 Nov. 1996 Page(s):295 - 298 AbstractPlus | Full Text: PDF(412 KB) IEEE CNF 23. A low-offset class-AB CMOS operational amplifier Chan, P.K.; Siek, L.; Tay, H.C.; Su, J.H.; Circuits and Systems, 2000. Proceedings. ISCAS 2000 Geneva. The 2000 IEEE Intern Symposium on Volume 3, 28-31 May 2000 Page(s):455 - 458 vol.3 AbstractPlus | Full Text: PDF(364 KB) | IEEE CNF 24. 1-V operational amplifier with rail-to-rail input and output ranges Fonderie, J.; Maris, M.M.; Schnitger, E.J.; Huijsing, J.H.; Solid-State Circuits, IEEE Journal of

Volume 24, Issue 6, Dec. 1989 Page(s):1551 - 1559

AbstractPlus | Full Text: PDF(800 KB) IEEE JNL

25. Non-stationary noise responses of some fully differential on-chip readout circuit CMOS image sensors

Degerli, Y.; Lavernhe, F.; Magnan, P.; Farre, J.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [s and Systems II: Express Briefs, IEEE Transactions on]

Volume 46, Issue 12, Dec. 1999 Page(s):1461 - 1474

AbstractPlus | References | Full Text: PDF(548 KB) | IEEE JNL


View Selected Items

View: 1-


Help Contact Us Privacy &:

© Copyright 2005 IEEE -

inspec*



BEST AVAILABLE COPY



BEST AVAILABLE COPY